

**SECTION I - IDENTIFICATION**

<b>PRODUCT NAME &amp; SYNONYMS:</b> <i>ORION 12 Gauge Long Shell Marine Red Signal and Twin Star Aerial Signal</i>			
<b>CHEMICAL FAMILY:</b> Pyrotechnic article	<b>FORMULA:</b> Mixture	<b>TRADE NAME:</b> 12 Ga. Long shell	
<b>DESCRIPTION:</b> A shortened shot shell containing a grayish powder which burns red upon ignition. Shells contain a small quantity of black powder (0.2g) propellant in addition to the chemicals listed below. An ignition primer containing a small quantity of lead compounds is also present in each device. All materials are sealed/enclosed under normal conditions of transportation and storage.			<b>CAS NO:</b> Not Applicable

**SECTION II - NORMAL HANDLING PROCEDURES**

<b>PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: (KEEP OUT OF REACH OF CHILDREN)</b> Store in a cool area out of direct sunlight. Do not allow long-term exposure to temperatures in excess of 180°F. Avoid long-term immersion in water, exposure to moisture, open flames or extremely high temperature. Do not disassemble signal. Trace amounts of lead vapor may be produced (from ignition primer) in a fire situation.	
<b>PROTECTIVE EQUIPMENT</b>	<b>VENTILATION REQUIREMENTS</b>
<b>EYES:</b> Goggles when handling broken containers. <b>GLOVES:</b> None required. <b>OTHER:</b> None required.	Outdoor use only

**SECTION III - HAZARDOUS INGREDIENTS**

BASIC MATERIALS	OSHA PEL	LD 50	LC 50	SIGNIFICANT EFFECTS
Strontium nitrate CAS# 10042-76-9	None Est.	2750mg/Kg (rat)	No Data	Irritant to skin, eyes & mucous membranes
Strontium peroxide CAS# 1314-18-7	Not Known	Not Known	Not Known	May cause irritation to eyes, mucous
Magnesium CAS# 7439-95-4	15 mg/m <sup>3</sup>	230 mg/Kg (rat)	No Data	Heart beat alteration. Inflammation and local lesions on skin.
Polyvinyl chloride CAS# 9002-86-2	1 ppm	Not Known	Not Known	membranes, moist skin. May contain vinyl chloride, a suspected cancer-causing agent.
Black Powder	None Est.	None Est.	None Est.	Explosive. Dust may be irritant.

**SECTION IV - FIRE AND EXPLOSION HAZARD DATA**

<b>Auto Ignition of Contents:</b> >180°F	<b>OSHA CLASSIFICATION:</b> 1.4G Explosive	<b>FLAMMABLE EXPLOSIVE LIMITS</b>	<b>LOWER:</b> Not Known	<b>UPPER:</b> Not Known
<b>EXTINGUISHING MEDIA:</b> Water deluge or dry chemical. Suffocation techniques may be ineffective.				
<b>SPECIAL FIRE HAZARD &amp; FIRE FIGHTING PROCEDURES:</b> Avoid the use of water (other than deluge) on large quantities, due to magnesium metal content. Flaming projectiles may be ejected during a fire. Use NIOSH/MSHA approved self-contained breathing apparatus when signals are involved in a fire.				

**SECTION V - HEALTH HAZARD DATA**

<b>THRESHOLD LIMIT VALUE:</b>	None established.
<b>SYMPTOMS OF OVER EXPOSURE:</b>	Contents of star can cause skin, eye and mucous membrane irritation; dermatitis.
<b>SKIN:</b>	If exposed to contents, flush thoroughly with water.
<b>EYES:</b>	If exposed to contents, flush with water for 15 minutes, call a physician.
<b>INGESTION:</b>	Call a physician immediately.
<b>INHALATION:</b>	Do not inhale smoke if signals are involved in a fire situation. If star contents or smoke is inhaled, move victim to fresh air. Call a physician.

**SECTION VI - TOXICOLOGY (Contents of Signal)**12 Ga. Long Shell Marine Aerial Signal

ACUTE ORAL LD 50: No available data. CARCINOGENICITY: Not known to be carcinogenic.  
 ACUTE DERMAL LD 50: No available data. MUTAGENICITY: Not known to be mutagenic.  
 ACUTE INHALATION LC 50: No available data.

PRINCIPAL ROUTES OF ABSORPTION: Inhalation of contents or inhalation of smoke. Exposure to smoke during use may aggravate asthma if inhaled.

EFFECTS OF ACUTE EXPOSURE: Contents can cause skin, eye and mucous membrane irritation; dermatitis.

EFFECTS OF CHRONIC EXPOSURE: Content dust may cause dermatitis.

**SECTION VII - SPILL AND LEAKAGE PROCEDURES (Control Procedures)****ACTION FOR MATERIAL RELEASE OR SPILL:**

Remove all sources of ignition. Wear NIOSH/MSHA approved dust respirator if there are dusty conditions. (Follow OSHA regulations for respirator use. See 29 CFR 1910.134.) Use non-sparking utensils to sweep or shovel up and place in an approved DOT container. Do not return material to original container. Isolate and DO NOT SEAL.  
 Wash all contaminated clothing before re-use. In the event of a large spill, call the emergency telephone number listed below.  
**TRANSPORTATION EMERGENCY, CONTACT CHEMTREC 1-800-424-9300**

**WASTE DISPOSAL METHOD:**

Dispose of contaminated product and materials used in cleaning up spills or leaks in the manner approved for pyrotechnic material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.  
 Open burning is preferred method of disposal for pyrotechnic materials.

**SECTION VIII - SHIPPING DATA**

DOT CLASS: Flares, Aerial, 1.4G. UN0403, Packing Group II; EX2004110275

**SECTION IX - REACTIVITY DATA**

STABLE: X UNSTABLE: AT \_\_\_\_\_°C \_\_\_\_\_°F

HAZARDOUS  
POLYMERIZATION

MAY OCCUR:  
WILL NOT OCCUR: X

**CONDITIONS TO AVOID:**

Exposure of the signal to temperatures in excess of 150°F may cause weakening of the signal body. Avoid open flames, extremely high temperatures and wet conditions.

**INCOMPATIBILITY (Material to avoid):**

None known.

**HAZARDOUS DECOMPOSITION PRODUCTS:**

Carbon monoxide, Carbon Dioxide, Nitrous oxides, Magnesium hydroxides and oxides.

**SECTION X - PHYSICAL DATA**

MELTING POINT	>500°F	VAPOR PRESSURE	No Data	VOLATILES	No Data
BOILING POINT	Not Applicable	SOLUBILITY IN WATER	Slight	EVAPORATION RATE	Solid
SPECIFIC GRAVITY (H <sub>2</sub> O=1)	No Data	pH	Not Applicable	VAPOR DENSITY (Air=1)	Not Applicable

**INFORMATION FURNISHED BY:** ORION SAFETY PRODUCTS **DATE:** August 2006  
 3157 N 500 W  
 Peru, IN 46970  
 1-800-851-5260

This information is accurate to the best knowledge of Orion Safety Products. ORION SAFETY PRODUCTS MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, ORION SAFETY PRODUCTS WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.