



Div: EVANinc

Explosives
EXPERTS
Explosifs

533 Argentueil
LACHUTE, Québec
Canada J8H 3Y2

Tel.: (450) 566-0655
Fax: (450) 566-0677

MATERIAL SAFETY DATA SHEET

EMERGENCY TELEPHONE NUMBER: 613-996-6666

SECTION I – IDENTIFICATION

PRODUCT NAME: PARACHUTE SIGNAL ROCKET, RED (SOLAS 74/ 83 Qualified) HARNESS PACKAGING			
CHEMICAL FAMILY: Not Applicable	FORMULA: Mixed	TRADE NAME: As above.	
DESCRIPTION: A signal in which a red flare is suspended from a parachute after launch.			CAS NO. N/A

SECTION II - NORMAL HANDLING PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE (KEEP OUT OF REACH OF CHILDREN) Store in a cool, dry place away from all sources of ignition. Do not dismantle. Do not allow contents to touch eyes, skin or clothing. Do not ingest contents. Avoid breathing dust. Flush skin areas contacted with large amount of water. Perchlorate Material – special handling may apply. See www.dtsc.ca.gov/hazardouswaste/perchlorate	
PROTECTIVE EQUIPMENT	VENTILATION REQUIREMENTS
No protective equipment is required unless signals have broken open. In that case, those cleaning up should be protected from any dust by NIOSH approved goggles, gloves and respirators. Be sure all ignition sources are removed before beginning the cleaning operation.	None required.

SECTION III - HAZARDOUS INGREDIENTS

BASIC MATERIALS	OSHA PEL	LD 50	LC 50	SIGNIFICANT EFFECTS
Black Powder	None Est.	None Est.	None Est.	Dust and powder are explosive.
Strontium Nitrate CAS# 10042-76-9	15 mg/m ³	540 mg/kg (rat)	None Est.	Oxidizer-supports combustion.
Potassium Perchlorate CAS# 7778-74-7	None Est.	None Est.	None Est.	Strong oxidizer. Airborne dust is irritant.
Magnesium CAS# 7439-95-4	None Est.	None Est.	None Est.	Very strong fuel.
Polyvinyl Chloride CAS# 9002-86-2	1 p.p.m.	None Est.	None Est.	Avoid breathing dust.
Phenolic Resin Polymerized	None Est.	None Est.	None Est.	Not known to be harmful.
Binder	None Est.	None Est.	None Est.	



Div: EVANinc

Explosives
EXPERTS
Explosifs

533 Argentueil
LACHUTE, Québec
Canada J8H 3Y2

Tel.: (450) 566-0655
Fax: (450) 566-0677

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Auto Ignition of Contents	DOT CLASS	U.N. NUMBER	FLAMMABLE EXPLOSIVE LIMITS	LOWER N/A	UPPER N/A
Black Powder- 400°F and above	1.4G	0403			
EXTINGUISHING MEDIA: Water deluge. If a large number of signals are involved, explosion is possible.					
SPECIAL FIRE HAZARD & FIRE FIGHTING PROCEDURES: Use NIOSH/MSHA approved self-contained breathing apparatus when this material is involved in a fire. If a large number of signals are involved, explosion is possible.					

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: None established.
SYMPTOMS OF OVER EXPOSURE: Contents can cause skin, eye and mucous membrane irritation or dermatitis.
SKIN If exposed to signal contents, flush thoroughly with water.
EYES If exposed to signal content flush at least 15 minutes with water. Call a physician.
INGESTION If exposed to signal contents, give 1 to 2 glasses of water, induce vomiting. Call a physician.
INHALATION If exposed to signal contents, move victim to fresh air. Call a physician if adverse symptoms persist.

SECTION VI – TOXICOLOGY

ACUTE ORAL LD 50: Not available.	ACUTE DERMAL LD 50: No available data.
ACUTE INHALATION LC 50: No available data.	MUTAGENICITY No ingredients are known to be mutagens.
TERATOGENICITY: No information available.	NEUROTOXICITY: No information available.
REPRODUCTIVE EFFECTS: No information available.	
CARCINOGENICITY Polyvinyl Chloride is suspected to be a carcinogen.	
PRINCIPAL ROUTES OF ABSORPTION: Inhalation or ingestion of contents.	
EFFECTS OF ACUTE EXPOSURE Can cause skin, eye and mucous membrane irritation; dermatitis and nausea.	
EFFECTS OF CHRONIC EXPOSURE Effect of dust - possible irritation of eyes, mucous membranes and skin. Dermatitis.	



Div: EVANinc

Explosives
EXPERTS
Explosifs

533 Argentueil
LACHUTE, Québec
Canada J8H 3Y2

Tel.: (450) 566-0655
Fax: (450) 566-0677

SECTION VII - SPILL AND LEAKAGE PROCEDURES (Control Procedures)

ACTION FORMATERIAL RELEASE OR SPILL

Remove all sources of ignition. Contain spill. If significant amounts of dust are present, wear chemical safety goggles, Viton or Norfoil gloves, clothing designed to prevent or minimize skin contact and a NIOSH/MSHA approved dust respirator. Use non-static forming broom and dust pan to clean up dust. Undamaged signals may be picked up and put back into their original shipping containers or containers approved by local, state and federal authorities.

WASTE DISPOSAL METHOD

Disposal method of contaminated product and materials used in cleaning up spills will depend on the type and size of the spill. First remove the spilled materials and store in a manner to keep them away from ignition sources. Then contact local, state or federal safety specialists for information on disposal of the spilled material.

SECTION VIII - SHIPPING DATA

DOT CLASS 1.4G	UN 0403 EX2002070039	Net Explosive Quantity: 0.14kg(0.31lb)/unit
-----------------------	----------------------	---

SECTION IX - REACTIVITY DATA

STABLE X	UNSTABLE	HAZARDOUS POLYMERIZATION	MAY OCCUR
			WILL NOT OCCUR X

CONDITIONS TO AVOID

Keep all sources of ignition away from the signal and ingredients. Do not remain in an area where the ingredients have become airborne as a dust without wearing an approved respirator.

INCOMPATIBILITY (Material to avoid) Avoid exposure to oxidizers, strong acids, strong bases, acid chlorides and acid anhydrides as well as organic compounds.

HAZARDOUS DECOMPOSITION PRODUCTS Carbon monoxide, Carbon dioxide, Nitrogen oxides, Magnesium oxides, Strontium oxides, Potassium Oxides.

SECTION X - PHYSICAL DATA

MELTING POINT: N/A	VAPOR PRESSURE: N/A	VOLATIZES: None
BOILING POINT N/A	SOLUBILITY IN WATER: N/A	EVAPORATION RATE: N/A
SPECIFIC GRAVITY (H₂O = 1): N/A	pH: N/A	VAPOR DENSITY (Air = 1): N/A

INFORMATION FURNISHED BY: CIL/ORION

DATE: October 26, 2002
DATE REVISED: February 14, 2008