

SAFETY DATA SHEET

EFFECTIVE DATE: 12/01/15

ITEM: Essential Survival Kit

PART # UPC

770 077403107704

CONTENTS:

SAR Camp Fire Starter SDS

SHIPPING INFORMATION

Consumer Commodity, ORM-D



SAFETY DATA SHEET

1. Product and Company Identification

Red Signal Flare - No Perchlorate (NPC)

Formulation

Identification:

The NPC flare will have the following symbol on it:

Synonyms: SAR Campfire Starter #750

Firestarter / Signal Flare

Fire Pit Pro #747

Identified Use: Fire starter, Emergency signal

Orion Safety Products

28320 St. Michaels Rd Easton, MD 21601 800-637-7807 410-822-0318 **Use Advised Against**: Do not use indoors or inside a vehicle

EMERGENCY CHEMTREC

1-800-424-9300

2. Hazards Identification

Manufacturers Information

GHS Classifications

Skin IrritationCategory 2H315Eye IrritationCategory 2AH319STOT - Single ExposureCategory 3H335

GHS Label Elements

Pictograms

Hazard Statements

P305/338/351

P333/313

H315 /319 Causes skin and serious eye irritation H335 May cause respiratory irritation

Signal Word Warning

Precautionary Statements

P103	Keep out of reach of children
P261	Avoid breathing dust/smoke.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective eye protection
P370	In case of fire: use water deluge
P501	Dispose of contents / container in accordance with
	local and national regulations.

P301/315 IF SWALLOWED: Get immediate medical advice /attention.
P302/352 IF ON SKIN: Wash with plenty of soap and water.
P304/340/342 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing If experiencing respiratory symptoms: Call a POISON CENTER or doctor / physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs, get medical advice / attention.

Hazards Not Otherwise Classified (HNOC): produces hot flame

3. Composition / Information on Ingredients

· · · · · · · · · · · · · · · · · · ·	0		
Component	CAS#	EINCS #	%age
Strontium Nitrate .	10042-76-9	233-131-9	<75%
Sulfur	7704-34-9	231-722-6	<25%
Potassium Nitrate	7757-79-1	231-818-8	<25%
Paraffinic Oil	64742-54-7	232-384-2	<10%
Potassium Chlorate	3811-04-9	231-100-4	<5%
Waxy sawdust	mixture	none	<5%
Polyvinyl Chloride	9002-86-2	200-831-0	<5%
Shellac	mixture	none	<1%
Charcoal	1333-86-4	231-153-3	<1%

Note: Due to Confidential Business Information i. e "Trade Secrets", the exact percentage of each ingredient has not been disclosed. CBI information will be shared with appropriate authorities if circumstances warrant.

4. First Aid Measures

Description of first aid measures

Inhalation If contents are inhaled, remove to fresh air. Watch for signs of allergic reaction. If other symptoms develop, get medical aid

immediately.

Skin If contents are contacted, wash with area with soap and water for 15 minutes. Remove contaminated clothing and wash before

reuse. Get medical aid immediately if burned or irritation occurs.

Eyes If contents get into eye, flush with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Remove

contact lenses if easily possible. Do not use boric acid to rinse with; sulfur is an acid irritant. Get medical aid immediately.

Ingestion Get medical aid immediately.



Most important symptoms and effects both acute and delayed

See section 2 labeling and section 11

Indication of any immediate medical attention and special treatment needed

Burning flare can cause severe burns if in contact with body. For burns to skin, cool with water and bandage appropriately. Seek medical attention. If eye is burned, cover eye and get medical aid immediately

5. **Firefighting Measures**

Extinguishing Media

Water deluge

Unsuitable Extinguishing Media

Foam and dry chemical extinguishers and

suffocation are ineffective.

Protective Equipment and **Precautions for Firefighters** Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode. Prevent further propagation of fire by spraying unburnt nearby product with water. Combat fire from a sheltered position.

Specific Hazards Arising from the Chemical

Use copious amounts of water to extinguish fire comprised of flares. Flares contain oxidizers and will continue to burn unless a significant amount of water is used. Do not breathe smoke.

No data available **Further information**

Accidental Release Measures 6.

Personal Precautions / Protective Equipment / Emergency Procedures

Do not breathe contents and avoid contact with skin and eyes. Wear flame retardant clothing with long sleeves, dust mask, rubber or nitrile gloves, safety goggles, safety shoes. Avoid friction on the released product. Keep away from ignition sources.

Environmental Precautions

Prevent dispersion of contents on soil and in water. Prevent contents from spreading or entering into drains, ditches, groundwater or rivers by using appropriate

Methods for Containment and Clean-up

Use caution when cleaning up spilled product contents. Remove heat, flames, sparks and other sources of ignition. Use non-sparking tools and equipment. Prevent buildup of electrostatic charges by grounding. Clean spills in a manner that does not disperse dust into the air. Do not absorb in sawdust or other combustible absorbents. Pick up spill for recovery or disposal and place in an approved container. Wash away remainder with plenty of water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for Safe Handling

Hold and point flare away from body when igniting. Exercise caution when using this product since molten flecks may be emitted. Produces hot flame. Burning flare can cause severe burns if in contact with body. Avoid contact with clothing and other combustible materials. Wear eye protection during use. Follow instructions on package. Use outdoors only! Do not ignite or burn product inside a vehicle or building. Avoid inhalation of smoke. Do not dismantle. Do not allow contents to touch eyes, skin or clothing. Do not ingest contents as they may be harmful if swallowed. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Avoid contact with heat, sparks, and flame.

Conditions for Safe Storage, Including Any Incompatibilities

Store away from direct sunlight, heat and incompatible materials. See section 10. Store away from food and beverages. Store away from flammable materials, sources of heat, flame and sparks. Store at ambient temperature. Do not store partially burned flares in a vehicle, warehouse, or any other building. Plastic bags are provided for moisture protection. Keep partially used bags sealed at all times.

8. **Exposure Controls / Personal Protection**

Control parameters

Exposure Limits Strontium Nitrate Sulfur Potassium Nitrate Paraffinic Oil Potassium Chlorate Waxy sawdust Polyvinyl Chloride

Shellac

Charcoal

OSHA PEL Not Established Not Established Nuisance dust 15 mg/m³. 5 mg/m3

No Airborne Exposure Limits established Not Established

No known hazardous components above regulatory thresholds in this product. Not Established Nuisance dust 15 mg/m³.

ACGIH TLV Not Established Not Established Nuisance dust 15 mg/m³. TWA 5 mg/m3

No Airborne Exposure Limits established Not Established

No known hazardous components above regulatory thresholds in this product. Not Established Nuisance dust 15 mg/m³

Exposure controls

Engineering Controls Personal Protective Equipment

Use product outdoors only! When cleaning up contents, use local and/or general exhaust.

Eye / Face Protection Safety glasses or goggles

> None under normal conditions when using product unless prolonged handling is anticipated. Impervious protective Skin Protection

clothing, including gloves, boots, and a lab coat, apron or coveralls, as appropriate, when cleaning up spilled

product. Wash hands and face before eating, drinking or using tobacco products.

Respiratory Protection None under normal conditions when using product. A particulate respirator (NIOSH t N95 or better filters) may be

worn during the cleanup of spilled materials.

General Hygiene Use product outdoors away from combustible products. For cleanup of spilled materials, emergency showers and eye wash stations should be available. Educate and train employees in the safe use and handling of hazardous

materials.

no pc flare Page 2 of 4 5 2015



Physical and Chemical Properties

Appearance (color, physical form, shape): Yellow to grey powder

pH: Not available Melting Point: Not available Solubility: Not available Not applicable Not applicable Not applicable Boiling Point / Range: Freezing Point: **Evaporation Rate:** Vapor Pressure: Not applicable Specific Gravity Not applicable Not applicable Vapor Density: Odor: No data available Odor Threshold: No data available Flash Point: Not available Flammability: No data available Flammability Limits: No data available Relative Density: No data available

No data available Partition Coefficient: Viscosity:

Auto Ignition Temperature: 360°F **Decomposition Temperature:** No data available

10. Stability and Reactivity

Chemical Stability Stable No information available Reactivity:

Possibility of Hazardous

No data available

Hazardous polymerization will not occur Reactions

Conditions to Avoid Combustible materials, heat, flames, sparks Incompatible Materials

Hazardous Decomposition Products

Strong acids, strong fuels, ammonia salts, and strong bases. Strong oxidizers; chlorate salts.

Carbon monoxide, carbon dioxide, sulfur oxides, and nitrogen oxides.

and other sources of ignition. Moisture. Toxicology Information 11.

Ingredient acute toxicity information

LC50 Ingredient Oral LD50 skin LD50 No information found Strontium Nitrate No information found Rat: 2750 mg/kg Sulfur Rat:>2000 mg/kg Rat:>2000 mg/kg Rat: 79.23 mg/L 4hr Potassium Nitrate Rat: 3750 mg/kg No information found No information found Paraffinic Oil Rat: >2000 mg/kg Rat: >2000 mg/kg No information found Potassium Chlorate Rat: 1870 mg/kg Rabbit: > 2000 mg/kg No information found Waxy sawdust Rat: > 5000 mg/kg not stated not stated no known hazardous components above no known hazardous components above no known hazardous components above Polyvinyl Chloride regulatory thresholds in this product. regulatory thresholds in this product. regulatory thresholds in this product. Shellac No information found No information found No information found Rat: 15400 mg/kg Charcoal Rabbit: 3 g/kg No information found

Product toxicological information

Acute Toxicity Not classified - Acute Toxicity Estimate yields oral LD50 over 5000 mg/kg bw

Skin Irritation / Corrosion Category 2 – over 10% of ingredients classified as a Category 2 Serious Eye Damage / Irritation Category 2a - over 10% of ingredients classified as a Category 2a Respiratory / Skin Sensitization Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Germ Cell Mutagen

Not classified (Based on available data, the classification criteria are not met) Carcinogen Reproductive Toxicity Not classified (Based on available data, the classification criteria are not met)

STOT – single exposure Category 3 – respiratory over 10% of ingredients classified as a Category 3 respiratory STOT hazard

Not classified (Based on available data, the classification criteria are not met) STOT - repeated exposure **Aspiration Hazard** Not classified (Based on available data, the classification criteria are not met)

Likely routes of exposure Skin, ingestion, inhalation

Symptoms related to the physical, chemical and toxicological

characteristics

Contents irritating to eyes due to chemical and physical properties of the mixture. Ingestion of contents may cause gastrointestinal irritation with nausea, vomiting and diarrhea. Individuals with known allergies to sulfide drugs may also have allergic reactions

to elemental sulfur.

Delayed and immediate effects and chronic effects from short and long term exposure

Interactive effects

Inhalation of contents or smoke from burning flare will cause irritation to the lungs and mucus membrane. Prolonged or repeated skin contact with contents may cause dermatitis.

No information found

12. **Ecological Information**

Ingredient toxicity / persistence / degradability / bioaccumulation / mobility in soil and water

Aquatic Toxicity Strontium Nitrate: Acute toxicity - Fishes, Carassius auratus, LC100, 9,615 mg/l; Chronic toxicity - Fishes, Gasterosteus aculeatus, LC100, 2.912 mg/l

Sulfur: Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - > 180 mg/l - 96 h Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) - > 5,000 mg/l - 48 h

Potassium Chlorate: fish: LC50 oncorhynchus mykiss (rainbow trout) 1750 mg/l – 96 hr, EC50 daphnia magna (water flea) 1093 mg/l 24 hr

Paraffinic Oil: Oil Mist, Mineral Lepomis macrochirus (LC50) 96 hour(s) > 100 mg/l Oncorhynchus mykiss (LC50) 96 hour(s) >100 mg/l

Polassium Nitrale: fish: Guppy (Poecilia Reticulata) LC50 180 mg/L (96 h); zooplankton: Daphnia magna LC50 490mg/l – 48hr

Persistence / Degradability Bioaccumulation / Accumulation Mobility in Environmental Media

Potassium Nitrate: Soluble in water Persistence is unlikely based on information available.

No information found

No information found

Strontium Nitrate: Water:: considerable solubility and mobility; Soil/sediments non-significant adsorption

Potassium Nitrate: Will likely be mobile in the environment due to its water solubility.

Other adverse effects

no pc flare

Page 3 of 4 5 2015



13. Disposal Considerations

Disposal methods

Flares should be allowed to burn to completion. Partially burned or unburned flares, spilled contents, and ash from burned flares should be disposed of in accordance with federal, state, and local requirements. Consult factory for any additional disposal concerns.

14. Transportat	14. Transportation Information								
Description	ID Number	shipping name	hazard class	packing group	EX Number	Reportable Quantities	Shipping method		
United States				•					
Bulk flares	NA1325	Fusee	4.1	II	Not applicable	none	Ground only		
Retail packaged flares International / Air	UN3178	ORM-D / Limited Quantity	Not applicable	Not applicable	Not applicable	none	Ground only		
Bulk flares	UN0373	Signal devices, hand	1.4S	II	EX- 1992090001	none	Air / ground		
Marine Pollutant: no)	Special preca	utions for us	ser: No informat	ion available				

15. Regulatory In	formation										
US Regulations	TSCA	CERCLA	CWA	CAA	SARA 313	SARA 302	Acute	Chronic	Fire	Reactivity	Pressure
Strontium Nitrate	yes	no	no	no	no	no	yes	no	no	yes	no
Sulfur	yes	no	no	no	no	no	yes	no	yes	no	no
Potassium Nitrate	yes	no	no	no	yes	no	no	no	no	yes	no
Paraffinic Oil	yes	no	no	no	no	no	no	no	no	no	no
Potassium Chlorate	yes	no	no	no	no	no	yes	no	no	yes	no
Waxy sawdust	yes	no	no	no	no	no	no	no	no	no	no
Polyvinyl Chloride	yes	no	no	no	no	no	yes	no	no	no	no
Shellac Mixture	yes	no	no	no	yes	no	unknown	unknown	unknown	unknown	unknown
Charcoal	ves	no	no	no	no	no	no	no	no	no	no

US States	Prop 65	NJ	PA	Canada WHMIS	DSL	Europe	wgk
Strontium Nitrate	no	1743	no	C Oxidizing materials D1B Toxic materials D2B Toxic materials	yes		2
Sulfur	no	1757	yes	B4 Flammable solid D2B Toxic materials	yes		1 / nwg
Potassium Nitrate	no	1574	yes	C Oxidizing materials	yes		1
Paraffinic Oil	no	1437	no	No results	yes		not listed
Potassium Chlorate	yes	1560	yes	C Oxidizing materials D1B Toxic materials	yes		2
Waxy sawdust	yes	no	no	No results	yes		not listed
Polyvinyl Chloride	no	3622	no	No results	yes		not listed
Shellac Mixture	no	no	no	No results	unknown		not listed
Charcoal	yes	yes	yes	D2A Very toxic materials D2B Toxic materials	yes		nwg

16. Other Information

Revision Inf	formation:	May 2015	
NFPA	Rating	HMIS I	Rating
Flammability	1	Flammability	1
Health	2	Health	2
Reactivity	1	Physical Hazard	1

Key / Legend:

HMIS: hazardous material identification system NFPA: national fire protection association CAS: Chemical Abstracts Service number EINECS: European inventory of existing chemical substances
OSHA PEL: occupational safety and health administration permissible exposure limit
NIOSH TLV: national institute of occupational safety

NIOSH TLV: national institute of occupationa and health Threshold Limit Value TSCA: toxic substance control act - US CERCLA: comprehensive environmental response, compensation and liability act – US

CWA: clean water act - US CAA: clean air act - US

SARA: superfund amendments and reauthorization act – US
PROP 65:California's Proposition 65 list

PROP 65:California's Proposition 65 list WHMIS: workplace hazardous materials information system - Canada DSL: Domestic Substances List - Canada

WGK: water hazard classes - Germany

Legal Statement

This information is accurate to the best knowledge Orion Safety Products. Orion Safety Products makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability or filness for a particular purpose, with respect to the information set forth herein or the product to which the information refers. Accordingly, Orion Safety Products will not be responsible for damages resulting from use of or reliance upon this information. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

no pc flare Page 4 of 4 5 2015