

SAFETY DATA SHEET

1. Product and Company Identification

Marine Handheld Red Flare (HHRF)

Manufacturer's Information: Orion Safety Products

 3157 N 500 W
 EMERGENCY
 CHEMTREC

 Peru, Indiana 46970
 RESPONSE
 1-800-424-9300

 US 1-800-851-5260
 1-703-527-3887

Int'l (11) 1-765-472-4375

2. Hazards Identification

GHS Classifications Explosive Category 1.4
Skin Irritation Category 2

Eye Irritation Category 2

Eye Irritation Category 2A

STOT-Single Exposure Category 3

GHS Label Elements

Hazard Statements

H204 Fire or projection hazard
 H315 Causes skin irritation
 H319 Causes serious eye irritation
 H335 May cause respiratory irritation

Pictograms





Signal Word Warning

| Precaut | ionary Statements | P370 | In case of fire; use water deluge. |
|---------|--|--------------|---|
| P102 | Keep out of reach of children. | P301/315 | IF SWALLOWED: Get immediate medical advice /attention. |
| P103 | Read carefully and follow all instructions | P302/352 | IF ON SKIN: Wash with plenty of soap and water. |
| P210 | Keep away from heat/sparks/open flames/hot surfaces. | P304/340/342 | IF INHALED: Remove victim to fresh air and keep at rest in a position |
| F210 | No smoking | | comfortable for breathing. If experiencing respiratory symptoms: Call a |
| P232 | Protect from moisture | | POISON CENTER or doctor/physician. |
| P261 | Avoid breathing dust/fumes. | P305/338/351 | IF IN EYES: Rinse cautiously with water for several minutes. Remove |
| P264 | Wash hands thoroughly after handling. | | contact lenses, if present and easy to do. Continue rinsing. |
| P270 | Do not eat, drink or smoke when using this product. | P332/313 | If skin irritation or rash occurs, get medical advice/attention. |
| P271 | Use only outdoors. | P501 | Dispose of contents / container in accordance with local and national |
| P280 | Wear protective eye protection. | | Regulations. |

Hazards Not Otherwise Classified (HNOC): produces hot flame

3. Composition / Information on Ingredients

| Component | CAS# | EINCS# | Percentage |
|--------------------|------------|-----------|------------|
| Strontium Nitrate | 10042-76-9 | 233-131-6 | <60% |
| Sulfur | 7704-34-9 | 231-722-6 | <25% |
| Potassium Nitrate | 7757-79-1 | 231-818-8 | <25% |
| Polyvinyl Chloride | 9002-86-2 | 200-831-0 | <5% |
| Paraffinic Oil | 64742-54-7 | 232-384-2 | <5% |
| Strontium Peroxide | 1314-18-7 | 215-224-6 | <2% |
| Potassium Chlorate | 3811-04-9 | 231-100-4 | <2% |

Note: Due to Confidential Business Information, "Trade Secrets", the exact percentage of each ingredient has not been disclosed. CBI information will be shared with appropriate authorities if circumstances warrant.

4. First Aid Measures

Description of first aid measures

Inhalation If contents are inhaled, remove to fresh air. Watch for signs of allergic reaction. If other symptoms develop, get medical aid immediately.

Skin If contents are contacted, wash with area with soap and water for 15 minutes. Remove contaminated clothing and wash before reuse. Get medical aid if irritation occurs.

Eyes If contents get into eyes, flush with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Remove contact lenses if easily possible. Get medical aid immediately.

Ingestion Get medical aid immediately.

Most important symptoms and effects both acuteand delayed Indication of any immediate medical attention and special treatment needed See section 2 labeling and section 11

No data available



5. Firefighting Measures

Extinguishing Media Water deluge Unsuitable Extinguishing Media Foam and dry chemical extinguishers and suffocation are ineffective.

Protective Equipment and

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode. Prevent further propagation of fire by spraying unburnt

Precautions for Firefighters in the pressure demand or other positive pressure mode. Prevent further propagation of fire by spraying unburn nearby product with water. Combat fire from a sheltered position.

Specific Hazards Arising Only use outdoors. Flame and sparks are ejected out the open end of the flare when it functions. Do not point flare at any

from the Chemical part of the body or flammable material.

Further Information No data available

6. Accidental Release Measures

Personal Precautions / Protective Equipment / Emergency Procedures

Do not breathe smoke or contents. Avoid contact with skin and eyes. Wear flame retardant clothing with long sleeves, dust mask, rubber or nitrile gloves, safety goggles, safety shoes when cleaning up contents. Avoid friction on the released product. Keep away from ignition sources.

Environmental Precautions

Prevent dispersion of contents on soil and in water. Prevent contents from spreading or entering into drains, ditches, groundwater or rivers by using appropriate barriers.

Methods for Containment and Clean-up

Use caution when cleaning up spilled contents. Remove heat, flames, sparks and other sources of ignition. Use non-sparking tools and equipment. Prevent buildup of electrostatic charges by grounding. Clean spills in a manner that does not disperse dust into the air. When cleaning up contents, use local and/or general exhaust. Clean up avoiding dust generation and place in a well identified container. Do not absorb in sawdust or other combustible absorbents. Wash away remainder with plenty of water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for Safe Handling

Hold and point signal away from body when igniting. Hold signal downwind when burning. Avoid breathing smoke. Avoid contact with clothing and other combustible materials. Use outdoors only! Do not ignite or burn product inside a vehicle, boat cabin or building. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Avoid contact with skin and eyes. Avoid contact with heat, sparks, and flame. Signals should be allowed to burn to completion.

Conditions for Safe Storage, Including Any Incompatibilities

Store in a dry place away from direct sunlight, heat and incompatible materials. Store away from food and beverages. Store away from flammable materials, sources of heat, flame and sparks. Store at ambient temperature. Do not store partially burned signals in a vehicle, boat, closed container, warehouse, or any other building.

8. Exposure Controls / Personal Protection

Control Parameters

Exposure Limits OSHA PEL ACGIH TLV Strontium Nitrate Not established Not established Not established Not established Sulfur Potassium Nitrate Nuisance dust, 15 mg/m3 Nuisance dust, 15 mg/m³ No known hazardous components above No known hazardous components above Polyvinyl Chloride regulatory thresholds in this product regulatory thresholds in this product Paraffinic Oil 5 mg/m³ TWA 5 mg/m³ Strontium Peroxide 15 mg/m³ 15 mg/m³ Potassium Chlorate Not Established Not Established

Exposure Controls

Engineering Controls Use product outdoors only! When cleaning up contents, use local and/or general exhaust.

Eye / Face Protection Safety glasses or goggles

Skin Protection None under normal conditions when using product unless prolonged handling is anticipated. Impervious protective

clothing, including gloves, boots, and a lab coat, apron or coveralls, as appropriate, when cleaning up spilled product.

Wash hands and face before eating, drinking or using tobaccoproducts

Respiratory Protection None under normal conditions when using product. A particulate respirator (NIOSH t N95 or better filters)

may be worn during the cleanup of spilled contents.

General Hygiene Use product outdoors away from combustible products. For cleanup of spilled contents, emergency showers and eye

wash stations should be available. Educate and train employees in the safe use and handling of hazardous materials. Maintain good housekeeping and safety practices. Do not let contents accumulate in storage or work areas. Clean

spills up promptly.



9. Physical and Chemical Properties

Appearance (color, physical form, shape): Grey powder

No data available Melting Point: No data available Solubility: No data available Boiling Point / Range: Freezing Point: Not applicable Not applicable **Evaporation Rate:** Not applicable Vapor Pressure: Not applicable Specific Gravity: Not applicable Vapor Density: Not applicable No data available Odor Threshold: No data available Flash Point: No data available Odor: Flammability: No data available Flammability Limits: No data available Relative Density: No data available Partition Coefficient: No data available Viscosity: No data available

Auto Ignition Temperature: No data available **Decomposition Temperature:** No data available

10. Stability and Reactivity

Chemical Stability: Stable Reactivity: No information available Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid Incompatible Materials **Hazardous Decomposition Products** Combustible materials, heat, Strong acids, strong fuels, ammonia salts and strong bases. Carbon monoxide, carbon dioxide, sulfur flames, sparks and other oxides and nitrogen oxides. sources of ignition. Moisture.

11. Toxicology Information

Ingredient acute toxicity information

Toxicology Oral LD50 Skin LD50 LC50 Strontium Nitrate Rat: 1892 mg/kg Not stated Not stated Rat:>2020 mg/kg Sulfur Rat: 5050 mg/kg Rat:>5.49 mg/L air concentration Potassium Nitrate Rat: 3750 mg/kg Not stated Not stated No known hazardous components No known hazardous components Polyvinyl Chloride Rat: >5000 mg/kg above regulatory thresholds above regulatory thresholds Paraffinic Oil Rat: >2000 mg/kg Rat: >2000 mg/kg No information found Strontium Peroxide Not Available Not Available Not Available Potassium Chlorate Rat 1870 mg/kg 2000 mg/kg (rabbit) No information found

Product toxicological information

Acute Toxicity Not classified - Acute Toxicity Estimate yields oral LD50 over 5000 mg/kg bw Skin Irritation / Corrosion Category 2 – over 10% of ingredients classified as a Category 2 skin irritant Category 2A – over 10% of ingredients classified as a Category 2A eye irritant Serious Eye Damage / Irritation Respiratory / Skin Sensitization Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Germ Cell Mutagen Not classified (Based on available data, the classification criteria are not met) Carcinogen Reproductive Toxicity Not classified (Based on available data, the classification criteria are not met)

STOT – single exposure Not classified (Based on available data, the classification criteria are not met) STOT - repeated exposure Category 3 - respiratory-over 10% of ingredients classified as a Category 3 respiratory STOT hazard

Aspiration Hazard Not classified (Based on available data, the classification criteria are not met)

Likely routes of exposure Skin, ingestion, inhalation

Symptoms related to the physical, Contents irritating to eyes due to chemical and physical properties of the mixture. Ingestion of chemical and toxicological characteristics contents may cause gastrointestinal irritation with nausea, vomiting and diarrhea. Individuals with

known allergies to sulfide drugs may also have allergic reactions to elemental sulfur. Delayed and immediate effects and chronic Inhalation of contents or smoke from burning flare will cause irritation to the lungs and mucus effects from short and long term exposure

membrane. Prolonged or repeated skin contact with contents may cause dermatitis.

Interactive effects No information found

12. Ecological Information

Ingredient toxicity / persistence / degradability / bioaccumulation / mobility in soil and water

Potassium Chlorate: fish: LC50 oncorhynchus mykiss (rainbow trout) 1750 mg/l – 96 hr, EC50 daphnia **Aquatic Toxicity**

magna (water flea) 1093 mg/l 24 hr

Strontium Nitrate: Acute toxicity - Fishes, Carassius auratus, LC100, 9,615 mg/l; Chronic toxicity - Fishes,

Gasterosteus aculeatus, LC100, 2.912 mg/l

Sulfur: Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) -> 180 mg/l - 96 h Toxicity to dapnia

and other aquatic invertebrates: EC50 – Daphnia magna (Water flea) - > 5,000 mg/l – 48 h

No information found Persistence / Degradability Bioaccumulation / Accumulation No information found

Strontium Nitrate: Water:: considerable solubility and mobility; Soil/sediments non-significant adsorption Mobility in Environmental Media

Other adverse effects No information found



13. Disposal Considerations (for spills and leakage)

Dispose of contaminated product and materials used in cleaning up spills or leaks in the manner approved for pyrotechnic material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures. Open burning is the preferred method of disposal for pyrotechnic materials. Allow flares to burn to completion.

14. Transportation Information

| | ID Number | Proper Shipping Name | Hazard Class | | EX Number | Reportable Quantities | | | |
|--------------------------|-----------|--|--------------|-----|------------|-----------------------|--|--|--|
| Domestic & International | UN0373 | Signal devices, hand | 1.4S | n/a | 2019092055 | none | | | |
| Marine pollutant: n | 0 | Special precautions for user: no information available | | | | | | | |

15. Regulatory Information

| US Regulations | TSCA | CERCLA | CWA | CAA | SARA 313 | SARA 302 | Acute | Chronic | Fire | Reactivity | Pressure |
|--------------------|------------|--------|-----|--------|-------------|---|-------|---------|--------|------------|----------|
| Strontium Nitrate | yes | no | no | no | yes | no | yes | no | no | yes | no |
| Sulfur | yes | no | no | no | no | no | yes | no | yes | no | no |
| Potassium Nitrate | yes | no | no | no | yes | no | no | no | no | yes | no |
| Polyvinyl Chloride | yes | no | no | no | no | no | yes | no | no | no | no |
| Paraffinic Oil | yes | no | no | no | no | no | no | no | no | no | no |
| Potassium Chlorate | yes | no | no | no | no | no | yes | no | no | yes | no |
| Strontium Peroxide | yes | no | no | no | no | no | yes | no | yes | yes | no |
| US States | Prop 65 | NJ | PA | Canada | I | WH | MIS | DLS | Europe | Wgk | |
| Strontium Nitrate | no | 1743 | no | | | C Oxidizing materials D1B Toxic materials D2B Toxic materials | | yes | | 2 | |

| Strontium Nitrate | no | 1743 | no | C Oxidizing materials | yes | 2 |
|--------------------|----|------|-----|-----------------------|-----|------------|
| | | | | D1B Toxic materials | • | |
| | | | | D2B Toxic materials | | |
| Sulfur | no | 1757 | yes | B4 Flammable solid | yes | 1 / nwg |
| | | | • | D2B Toxic materials | • | • |
| Potassium Nitrate | no | 1574 | yes | C Oxidizing materials | yes | 1 |
| Polyvinyl Chloride | no | 3622 | no | No results | yes | not listed |
| Paraffinic Oil | no | 1437 | no | No results | yes | not listed |
| Potassium Chlorate | no | 1560 | yes | C Oxidizing materials | yes | 2 |
| | | | • | D1B Toxic materials | | |
| Strontium Peroxide | no | yes | no | C Oxidizing materials | yes | not listed |
| | | | | | | |

16. Other Information

| Revision Informa | ation: March 2019 | Key / Legend |
|------------------|-------------------|----------------|
| | | HMIS: hazardo |
| NEDA Detina | LIMIC Detine | NFPA: national |

| | HMIS Rating | |
|---|-----------------|----------------------------|
| 2 | Flammability | 1 |
| 2 | Health | 3 |
| 1 | Physical Hazard | 1 |
| | 2 | 2 Flammability 2 Health |

HMIS: hazardous material identification system NFPA: national fire protection association CAS: Chemical Abstracts Service number EINECS: European inventory of existing chemical substances OSHA PEL: occupational safety and health

administration permissible exposure limit
NIOSH TLV: national institute of occupational safety
and health Threshold Limit Value
NTP: National Toxicology Program

IARC: International Agency for Research on Cancer CWA: clean water act - US

compensation and liability act – US
CAA: clean air act - US
SARA: superfund amendments and reauthorization
act – US
PROP 65:California's Proposition 65 list
WHMIS: workplace hazardous materials
information system - Canada
DSL: Domestic Substances List - Canada

WGK: water hazard classes - Germany

TSCA: toxic substance control act - US

CERCLA: comprehensive environmental response

Legal Statement

This information is accurate to the best knowledge of Orion Safety Products. Orion Safety Products makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability or fitness for a particular purpose, with respect to the information set forth herein or the product to which the information refers. Accordingly, Orion Safety Products will not be responsible for damages resulting from use of or reliance upon this information. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.